

North Pointe Condominiums

Level 1 Reserve Study



Report Period – 01/01/2026 – 12/31/2026

Client Reference Number	19579
Property Type	Condominium
Number of Units	48
Fiscal Year End	12/31

Type of Study	Full Study
Date of Property Inspection	12/10/2025
Prepared By	Dale Gifford
Analysis Method	Cash Flow
Funding Goal	Full Funding

Report prepared on – Tuesday, January 13, 2026



TEL: (888) 356-3783 | Fax: (866) 279-9662
WWW.COMPLEXSOLUTIONSLTD.COM

DRAFT

Table of Contents

Introduction

- Executive Summary page 1
- Introduction page 2
- General Information and Frequently Asked Questions page 3 - 4

Reserve Analysis

- Funding Summary page 5
- Percent Funded – Graph page 6
- Component Inventory page 7
- Significant Components page 8
- Significant Components – Graph page 9
- Yearly Summary page 10
- Yearly Reserve Contributions – Graph page 11
- Component Funding Information page 12
- Yearly Cash Flow page 13
- Yearly Reserve Expenditures – Graph page 14
- Projected Reserve Expenditures by Year page 15 - 16

Component Evaluation

- Component Evaluation page 1 - 37

Glossary of Commonly used Words and Phrases

Executive Summary – North Pointe Condominiums - ID # 19579

Information to complete a Level 1, and Level 2 Reserve Study was gathered by performing an in-person site visit of the community. Information to complete the Level 1, Level 2, and Level 3 Reserve Study was gathered by researching the expenditures of the community with the client. In addition, we may have also obtained information by contacting vendors and/or contractors that have worked with the community. To the best of our knowledge, the conclusions and recommendations of this report are considered reliable and accurate as far as the information obtained from these sources.

Projected Starting Balance as of 01/01/2026	\$120,000
Ideal Reserve Balance as of 01/01/2026	\$706,065
Percent Funded as of 01/01/2026	17%
Recommended Reserve Contribution (per month)	\$5,810
Recommended Special Assessment 2026	\$250,000

North Pointe Condominiums is a 48-unit Condominium community. The community offers covered parking, and landscaped areas as amenities. Construction on the community was completed in 2003.

Currently Programmed Projects

There are multiple projects programmed to occur this fiscal year (FY2026). We have programmed an estimated \$17,000 in reserve expenditures toward the completion of these projects. (See page 15)

Significant Reserve Projects

The association's significant reserve projects are elevators modernize (Comp# 707), roofs 2010 replace (Comp# 105), interior surfaces repaint (Comp# 216), and carpet replace (Comp# 1501). The fiscal significance of these components is approximately 18%, 13%, 10%, and 7% respectively (see page 9). A component's significance is calculated by dividing its replacement cost by its useful life. In this way, not only is a component's replacement cost considered but also the frequency of occurrence. These components most significantly contribute to the total monthly reserve contribution. As these components have a high level of fiscal significance the association should properly maintain them to ensure they reach their full useful lives.

Reserve Funding

In comparing the projected starting reserve balance of \$120,000 versus the ideal reserve balance of \$706,065 we find the association's reserve fund to be approximately 17% funded. This indicates a weak reserve fund position. In order to continue to strengthen the account fund, we suggest adopting a monthly reserve contribution of \$5,810 (\$121.04/unit) per month. If the contribution falls below this rate, then the reserve fund may fall into a situation where special assessments, deferred maintenance, and lower property values are likely at some point in the future.

Introduction

Reserve Study Purpose

The purpose of this Reserve Study is to provide the Association with a budgeting tool to help ensure that there are adequate reserve funds available to perform future reserve projects. The detailed schedules will serve as an advance warning that major projects will need to be addressed in the future. This will allow the Association to have ample time to obtain competitive bids for each project. It will also help to ensure the physical well-being of the property and enhance each owner's investment, while limiting the possibility of unexpected major projects that may lead to special assessments.

Preparer's Credentials

Mr. Gifford has been working in the community association industry since 2002. Prior to taking a position as the Regional Project Manager covering the Utah region, at Complex Solutions in 2010, he worked in community association management in Utah. While in community association management his positions included, Maintenance Supervisor, Senior Portfolio Manager and Vice President of Community Management. His work in community association management gave him experience with budget creation, reserves and reserve budgeting, community inspections, and analyzing common area components.

- Bachelor of Science in Chemistry from Emporia State University.
- Personally, has prepared over 3,000 reserve studies in Utah.
- Member of the Association of Professional Reserve Analysts (APRA).
- Professional Reserve Analyst (PRA) designation from Association of Professional Reserve Analysts (APRA), PRA #2320.
- Member of the Utah Chapter of Community Associations Institute (UCCAI). Former Board member, and former Utah Chapter President.
- Reserve Specialist (RS) designation from Community Associations Institute (CAI), RS# 231.
- Professional Community Association Manager® (PCAM®) designation from Community Associations Institute (CAI), PCAM# 1740.
- Association Management Specialist® (AMS®) designation from Community Associations Institute (CAI).
- Recipient of Community Associations Institute's (CAI) annual award of Excellence in Chapter Leadership for service and achievement in 2010.
- Member of the CAI Utah Legislative Action Committee.

Budget Breakdown

Every association conducts their business within a budget. There are typically two main parts to this budget, the Operating budget, and the Reserve budget. The operating budget includes all expenses that occur on an annual basis as well as general maintenance and repairs. Typical operating budget line items include management fees, maintenance expenses, utilities, etc. The reserve budget is primarily made up of replacement items such as roofing, fencing, mechanical equipment, etc., that do not normally occur on an annual basis.

Report Sections

Reserve Analysis: this section contains the evaluation of the association's reserve balance, income, and expenses. It includes a finding of the client's current reserve fund status (measured as percent funded) and a recommendation for an appropriate reserve allocation rate (also known as the funding plan).

Component Evaluation: this section contains information regarding the physical status and replacement cost of reserve components the association is responsible to maintain. It is important to understand that while the component inventory will remain relatively "stable" from year to year, the condition assessment and life estimates will vary from year to year.

General Information and Frequently Asked Questions

Is it the law to have a Reserve Study conducted?

The Government requires a reserve study in approximately twenty states. Also, the Association's governing documents may require a reserve fund to be established. This does not mean a Reserve Study is required, but how are you going to know if you have enough money in the reserve fund if you do not have the proper information?

Why is it important to perform a Reserve Study?

This report provides the essential information that is needed to guide the Association in establishing the reserve portion of the total monthly assessment. The reserve fund is critical to the future of the association because it helps ensure that reserve projects can be completed on time. When projects are completed on time, deferred maintenance and the lower property values that typically accompany it can be avoided. It is suggested that a third party professionally prepare the Reserve Analysis Study since there is no vested interest in the property.

After we have a Reserve Study, what do we do with it?

Please take the time to review the report carefully and make sure the component information is complete and accurate. If there are any inaccuracies, or changes such as a component that the association feels should be added, removed, or altered, please inform us immediately so we may revise the report. Use the report to help establish your budget for the upcoming fiscal year.

How often do we review and update our Reserve Study?

There is a misconception that a Reserve Study is good for an extended period since the report has projections for a thirty-year period. The assumptions, interest rates, inflation rates and other information used to create this report change each year. Scheduled events may not happen, unpredictable circumstances could occur, deterioration rates can be unpredictable and repair/replacement costs will vary from causes that are unforeseen. These variations alter the results of the Reserve Study. The Reserve Study should be professionally reviewed each year by having a Level III "no site visit" update reserve study performed. The Reserve Study should be professionally updated every three years by having a Level II "site visit" update reserve study performed.

What is a "Reserve Component" versus an "Operating Component"?

A "Reserve" component is an item that is the responsibility of the association to maintain, has a limited useful life, predictable remaining useful life, typically occurs on a cyclical basis that exceeds one year, and costs above a minimum threshold amount. An "Operating" component is typically a fixed expense that occurs on an annual basis.

What are the GREY areas of "maintenance" items that are often seen in a Reserve Study?

One of the most frequently asked questions revolves around major "maintenance" items, such as painting the buildings or seal coating the asphalt. You may hear from your accountant that since painting or seal coating is not replacing a "capital" item, it cannot be considered a reserve component. However, it is the opinion of several major Reserve Study providers, including Complex Solutions, that these components meet the criteria of a reserve component.

Information and Data Gathered:

The information contained in this report is based on estimates and assumptions gathered from various sources. Estimated life expectancies are based upon conditions that were readily visible and accessible at the time of the site visit. While every effort has been made to ensure accurate results, this report reflects the judgment of Complex Solutions Ltd. and should not be construed as a guarantee or assurance of predicting future events.

What happens during the Site Visit?

During the site visit we identified the common area components that we have determined require reserve funding. These components are quantified, and physical condition is observed. The site visit is conducted on the common areas as reported by the client.

What is the Financial Analysis?

We project the starting balance by taking the most recent reserve fund balance as stated by the client and add expected reserve contributions to the end of the fiscal year. We then subtract the expenses of any pending projects. We compare this number to the Fully Funded Balance and arrive at the Percent Funded level. Based on that level of funding we then recommend a Funding Plan to help ensure the adequacy of funding in the future.

Measures of reserve fund financial strength are as follows:

0% - 30% Funded is considered a “weak” financial position. Associations that fall into this category are more likely to have special assessments and deferred maintenance. Action should be taken to improve the financial strength of the reserve fund.

31% - 69% Funded is considered a “fair” financial position. Associations that fall into this category are less likely to experience special assessments and deferred maintenance than being in a weak financial position. Action should be taken to improve the financial strength of the reserve fund.

70% - 99% Funded is considered a “strong” financial position. Associations that fall into this category are less likely to experience special assessments and deferred maintenance than being in a fair financial position. Action should be taken to improve the financial strength of the reserve fund.

100% Funded is considered an “ideal” financial position. Action should be taken to maintain the financial strength of the reserve fund.

Disclosures:

Information provided to the preparer of a reserve study by an official representative of the association regarding financial, historical, physical, quantitative, or reserve project issues will be deemed reliable by the preparer. A reserve study will reflect information provided to the preparer of the reserve study. The total of actual or projected reserves required as presented in the reserve study is based upon information provided that was not audited.

A reserve study is not intended to be used to perform an audit, an analysis of quality, a forensic study, or a background check of historical records. An on-site inspection conducted in conjunction with a reserve study should not be deemed to be a project audit or quality inspection.

The results of this study are based on the independent opinion of the preparer and his experience and research during his career in preparing Reserve Studies. In addition, the opinions of experts on certain components have been gathered through research within their industry and with client's actual vendors. There is no implied warranty or guarantee regarding our life and cost estimates/predictions. There is no implied warranty or guarantee on any of our work products. Our results and findings will vary from another preparer's results and findings. A Reserve Study is necessarily a work in progress and subsequent Reserve Studies will vary from prior studies.

The projected life expectancy of the reserve components and the funding needs of the reserves of the association are based upon the association performing appropriate routine and preventative maintenance for each component. Failure to perform such maintenance can negatively impact the remaining useful life of the component and dramatically increase the funding needs of the reserves of the association.

This Reserve Study assumes that all construction assemblies and components identified herein are built properly and are free from defects in materials and/or workmanship. Defects can lead to reduced useful life and premature failure. It was not the intent of this Reserve Study to inspect for or to identify defects. If defects exist, repairs should be made so that the construction components and assemblies at the community reach the full and expected useful lives.

Site Visits: Should a site visit have been performed during the preparation of this reserve study, no invasive testing was performed. The physical analysis performed during the site visit was not intended to be exhaustive in nature and may have included representative sampling. Estimated life expectancies and life cycles are based upon conditions that were readily accessible and visible at the time of the site visit. We have assumed all components have been properly built and will reach normal, typical life expectancies. A reserve study is not intended to identify or fund construction defects. We did not and will not look for or identify construction defects during our site visit. In addition, environmental hazards (such as lead paint, asbestos, radon, etc.), have been excluded from this report.

Update Reserve Studies:

Level II Studies: Quantities of major components as reported in previous reserve studies are deemed to be accurate and reliable. The reserve study relies upon the validity of previous reserve studies.

Level III Studies: In addition to the above we have not visited the property when completing a Level III “No Site Visit” study. Therefore, we have not verified the current condition of the components.

Insurance: We carry general and professional liability insurance as well as workers' compensation insurance.

Actual or Perceived Conflicts of Interest: There are no potential actual or perceived conflicts of interest of which we are aware.

Inflation and Interest Rates: The after-tax interest rate used in the financial analysis may or may not be based on the clients' reported after-tax interest rate. If it is, we have not verified or audited the reported rate. The inflation rate may also be based on an amount we believe appropriate given the 30-year horizon of this study and may or may not reflect current or historical inflation rates.

Funding Summary

Beginning Assumptions

# of units	48
Fiscal Year End	31-Dec
Budgeted Monthly Reserve Allocation	\$1,167
Projected Starting Reserve Balance	\$120,000
Ideal Starting Reserve Balance	\$706,065
Special Assessment 2026	\$250,000

Economic Assumptions

Projected Inflation Rate	3.90%
Reported After-Tax Interest Rate	1.25%

Current Reserve Status

Current Balance as a % of Ideal Balance	17%
---	-----

Recommendations


Recommended Monthly Reserve Allocation	\$5,810
Per Unit	\$121.04
Future Annual Increases	3.00%
For number of years:	30
Increases thereafter:	0.00%
70% Funded Monthly Reserve Allocation Reference	\$5,050
Per Unit	\$105.21
Future Annual Increases	3.00%
For number of years:	30
Increases thereafter:	0.00%

Changes From Prior Year

Recommended Increase to Reserve Allocation as Percentage	\$4,643 398%
---	-----------------



Percent Funded - Graph



Component Inventory


Category	ID #	Component Name	Useful Life (yrs.)	Remaining Useful Life (yrs.)	Best Cost	Worst Cost
Roofing	105	Roofs - 2003 - Replace	25	2	\$33,000	\$37,000
	105	Roofs - 2010 - Replace	25	9	\$117,000	\$133,000
	120	Rain Gutters/Downspouts - Replace	30	3	\$25,000	\$31,000
Painted Surfaces	201	Stucco Surfaces - Repair/Repaint	15	3	\$17,000	\$23,000
	203	Garage Walls/Surfaces - Repair/Repaint	12	3	\$9,000	\$11,000
	204	Doors - Repaint	10	3	\$3,000	\$4,000
	212	Metal Railing - Repaint	N/A		\$0	\$0
	216	Interior Surfaces - Repaint	10	3	\$33,000	\$44,000
	223	Carports - Repaint	15	0	\$4,000	\$5,000
Drive Materials	401	Asphalt - Major Rehab	30	10	\$68,000	\$82,000
	402	Asphalt - Seal Coat	5	0	\$11,000	\$14,000
	403	Concrete - Partial Repair/Replace	10	3	\$2,000	\$3,000
Property Access	502	Garage Door - Replace	20	3	\$10,000	\$12,000
	506	Phone Entry Systems - Replace	N/A		\$0	\$0
Decking	604	Balcony Decks - Resurface	N/A		\$0	\$0
	690	Balcony Railing - Replace	N/A		\$0	\$0
Mechanical Equip.	707	Elevators - Modernize	30	3	\$200,000	\$240,000
	714	Exhaust Fans - Replace	N/A		\$0	\$0
	717	Infrared Tube Heaters - Replace	30	3	\$8,000	\$10,000
	790	CO Detection System - Replace	10	3	\$4,000	\$6,000
Prop. Identification	801	Community Sign - Replace	N/A		\$0	\$0
	803	Mailboxes - Replace	20	3	\$8,000	\$10,000
	803	Mailboxes - Replace	25	3	\$4,000	\$5,000
Life / Safety	901	Fire Protection Systems - Renovate	20	3	\$14,000	\$18,000
Fencing	1003	Chain Link Fencing - Replace	40	13	\$9,000	\$11,000
	1005	Brick Walls - Replace	N/A		\$0	\$0
	1008	Vinyl Fencing & Railing - Replace	30	3	\$38,000	\$46,000
	1090	Metal Railing - Replace	N/A		\$0	\$0
Recreation Equip.	1312	Pet Waste Stations - Replace	N/A		\$0	\$0
Flooring	1501	Carpeting - Replace	10	5	\$23,000	\$32,000
	1503	Tile Flooring - Replace	30	3	\$18,000	\$22,000
Light Fixtures	1601	Interior Light Fixtures - Replace	25	3	\$14,000	\$19,000
	1602	Exterior Light Fixtures - Replace	20	3	\$11,000	\$15,000
	1690	Garage Light Fixtures - Replace	25	3	\$5,000	\$6,000
Landscaping	1812	Landscaping & Irrigation System - Renov	20	3	\$15,000	\$20,000
Buildings / Structu	2303	Windows - Replace	50	23	\$98,000	\$147,000
	2304	Exterior Doors - Replace	50	23	\$24,000	\$32,000

Significant Components

ID #	Component Name	Useful Life (yrs.)	Remaining Useful Life (yrs.)	Average Current Cost	Significance: (Curr Cost/UL)	
					As \$	As %
105	Roofs - 2003 - Replace	25	2	\$35,000	\$1,400	3.5136%
105	Roofs - 2010 - Replace	25	9	\$125,000	\$5,000	12.5486%
120	Rain Gutters/Downspouts - Replace	30	3	\$28,000	\$933	2.3424%
201	Stucco Surfaces - Repair/Repaint	15	3	\$20,000	\$1,333	3.3463%
203	Garage Walls/Surfaces - Repair/Repair	12	3	\$10,000	\$833	2.0914%
204	Doors - Repaint	10	3	\$3,500	\$350	0.8784%
216	Interior Surfaces - Repaint	10	3	\$38,500	\$3,850	9.6624%
223	Carports - Repaint	15	0	\$4,500	\$300	0.7529%
401	Asphalt - Major Rehab	30	10	\$75,000	\$2,500	6.2743%
402	Asphalt - Seal Coat	5	0	\$12,500	\$2,500	6.2743%
403	Concrete - Partial Repair/Replace	10	3	\$2,500	\$250	0.6274%
502	Garage Door - Replace	20	3	\$11,000	\$550	1.3803%
707	Elevators - Modernize	30	3	\$220,000	\$7,333	18.4047%
717	Infrared Tube Heaters - Replace	30	3	\$9,000	\$300	0.7529%
790	CO Detection System - Replace	10	3	\$5,000	\$500	1.2549%
803	Mailboxes - Replace	20	3	\$9,000	\$450	1.1294%
803	Mailboxes - Replace	25	3	\$4,500	\$180	0.4518%
901	Fire Protection Systems - Renovate	20	3	\$16,000	\$800	2.0078%
1003	Chain Link Fencing - Replace	40	13	\$10,000	\$250	0.6274%
1008	Vinyl Fencing & Railing - Replace	30	3	\$42,000	\$1,400	3.5136%
1501	Carpeting - Replace	10	5	\$27,500	\$2,750	6.9017%
1503	Tile Flooring - Replace	30	3	\$20,000	\$667	1.6732%
1601	Interior Light Fixtures - Replace	25	3	\$16,500	\$660	1.6564%
1602	Exterior Light Fixtures - Replace	20	3	\$13,000	\$650	1.6313%
1690	Garage Light Fixtures - Replace	25	3	\$5,500	\$220	0.5521%
1812	Landscaping & Irrigation System - Rend	20	3	\$17,500	\$875	2.1960%
2303	Windows - Replace	50	23	\$122,500	\$2,450	6.1488%
2304	Exterior Doors - Replace	50	23	\$28,000	\$560	1.4054%



Significant Components - Graph



ID #	Component Name	Useful Life (yrs.)	Remaining Useful Life (yrs.)	Average Current Cost	Significance: (Curr Cost/UL)	
					As \$	As %
707	Elevators - Modernize	30	3	\$220,000	\$7,333	18%
105	Roofs - 2010 - Replace	25	9	\$125,000	\$5,000	13%
216	Interior Surfaces - Repaint	10	3	\$38,500	\$3,850	10%
1501	Carpeting - Replace	10	5	\$27,500	\$2,750	7%
All Other	See Expanded Table For Breakdown				\$20,912	52%




Yearly Summary

Year	Fully Funded Balance	Starting Reserve Balance	% Funded	Reserve Contributions	Interest Income	Reserve Expenses	Ending Reserve Balance
2026	\$706,065	\$120,000	17%	\$69,720	\$4,983	\$17,000	\$177,703
2027	\$757,337	\$427,703	56%	\$71,812	\$5,828	\$0	\$505,343
2028	\$829,887	\$505,343	61%	\$73,966	\$6,581	\$37,783	\$548,106
2029	\$867,687	\$548,106	63%	\$76,185	\$3,904	\$551,277	\$76,918
2030	\$375,184	\$76,918	21%	\$78,470	\$1,460	\$0	\$156,849
2031	\$438,061	\$156,849	36%	\$80,825	\$2,175	\$48,433	\$191,416
2032	\$454,950	\$191,416	42%	\$83,249	\$2,930	\$0	\$277,595
2033	\$524,775	\$277,595	53%	\$85,747	\$4,029	\$0	\$367,371
2034	\$599,353	\$367,371	61%	\$88,319	\$5,174	\$0	\$460,864
2035	\$678,951	\$460,864	68%	\$90,969	\$5,257	\$176,380	\$380,710
2036	\$580,587	\$380,710	66%	\$93,698	\$4,569	\$128,281	\$350,695
2037	\$530,639	\$350,695	66%	\$96,509	\$5,016	\$0	\$452,219
2038	\$614,395	\$452,219	74%	\$99,404	\$6,310	\$0	\$557,933
2039	\$703,877	\$557,933	79%	\$102,386	\$7,043	\$97,841	\$569,522
2040	\$697,747	\$569,522	82%	\$105,458	\$7,823	\$0	\$682,802
2041	\$795,690	\$682,802	86%	\$108,621	\$8,659	\$96,745	\$703,337
2042	\$799,692	\$703,337	88%	\$111,880	\$9,546	\$0	\$824,763
2043	\$907,236	\$824,763	91%	\$115,237	\$11,093	\$0	\$951,093
2044	\$1,021,951	\$951,093	93%	\$118,694	\$12,453	\$39,821	\$1,042,418
2045	\$1,102,860	\$1,042,418	95%	\$122,254	\$13,874	\$0	\$1,178,547
2046	\$1,231,513	\$1,178,547	96%	\$125,922	\$15,439	\$26,867	\$1,293,041
2047	\$1,340,609	\$1,293,041	96%	\$129,700	\$17,071	\$0	\$1,439,812
2048	\$1,485,344	\$1,439,812	97%	\$133,591	\$18,941	\$0	\$1,592,343
2049	\$1,639,330	\$1,592,343	97%	\$137,598	\$16,845	\$642,473	\$1,104,314
2050	\$1,135,539	\$1,104,314	97%	\$141,726	\$14,774	\$0	\$1,260,814
2051	\$1,283,521	\$1,260,814	98%	\$145,978	\$16,114	\$104,100	\$1,318,807
2052	\$1,333,159	\$1,318,807	99%	\$150,358	\$17,525	\$0	\$1,486,690
2053	\$1,497,094	\$1,486,690	99%	\$154,868	\$18,869	\$126,425	\$1,534,002
2054	\$1,540,434	\$1,534,002	100%	\$159,514	\$19,802	\$77,354	\$1,635,965
2055	\$1,640,984	\$1,635,965	100%	\$164,300	\$21,600	\$0	\$1,821,864



Reserve Contributions - Graph

Monthly Reserve Contributions



Component Funding Information

ID	Component Name	UL	RUL	Quantity	Average Current Cost	Ideal Balance	Current Fund Balance	Monthly
105	Roofs - 2003 - Replace	25	2	Approx. 6,140 SF	\$35,000	\$32,200	\$32,200	\$204.14
105	Roofs - 2010 - Replace	25	9	Approx. 22,100 SF	\$125,000	\$80,000	\$0	\$729.08
120	Rain Gutters/Downspouts - Replace	30	3	Approx. 2,040 LF	\$28,000	\$25,200	\$25,200	\$136.09
201	Stucco Surfaces - Repair/Repaint	15	3	Approx. 11,060 SF	\$20,000	\$16,000	\$16,000	\$194.42
203	Garage Walls/Surfaces - Repair/Repaint	12	3	Approx. 5,490 SF	\$10,000	\$7,500	\$7,500	\$121.51
204	Doors - Repaint	10	3	(16) Doors	\$3,500	\$2,450	\$2,450	\$51.04
216	Interior Surfaces - Repaint	10	3	Approx. 21,985 SF	\$38,500	\$26,950	\$19,650	\$561.39
223	Carports - Repaint	15	0	Approx. 3,650 SF	\$4,500	\$4,500	\$4,500	\$43.74
401	Asphalt - Major Rehab	30	10	Approx. 27,190 SF	\$75,000	\$50,000	\$0	\$364.54
402	Asphalt - Seal Coat	5	0	Approx. 27,190 SF	\$12,500	\$12,500	\$12,500	\$364.54
403	Concrete - Partial Repair/Replace	10	3	Minimal SF	\$2,500	\$1,750	\$0	\$36.45
502	Garage Door - Replace	20	3	(2) Doors	\$11,000	\$9,350	\$0	\$80.20
707	Elevators - Modernize	30	3	(2) Elevators	\$220,000	\$198,000	\$0	\$1,069.31
717	Infrared Tube Heaters - Replace	30	3	(2) Heaters	\$9,000	\$8,100	\$0	\$43.74
790	CO Detection System - Replace	10	3	(1) Systems	\$5,000	\$3,500	\$0	\$72.91
803	Mailboxes - Replace	20	3	(3) Clusters	\$9,000	\$7,650	\$0	\$65.62
803	Mailboxes - Replace	25	3	(4) Clusters	\$4,500	\$3,960	\$0	\$26.25
901	Fire Protection Systems - Renovate	20	3	(2) Systems	\$16,000	\$13,600	\$0	\$116.65
1003	Chain Link Fencing - Replace	40	13	Approx. 235 LF	\$10,000	\$6,750	\$0	\$36.45
1008	Vinyl Fencing & Railing - Replace	30	3	Approx. 630 LF	\$42,000	\$37,800	\$0	\$204.14
1501	Carpeting - Replace	10	5	Approx. 4,475 SF	\$27,500	\$13,750	\$0	\$400.99
1503	Tile Flooring - Replace	30	3	Approx. 440 SF	\$20,000	\$18,000	\$0	\$97.21
1601	Interior Light Fixtures - Replace	25	3	(93) Fixtures	\$16,500	\$14,520	\$0	\$96.24
1602	Exterior Light Fixtures - Replace	20	3	(72) Fixtures	\$13,000	\$11,050	\$0	\$94.78
1690	Garage Light Fixtures - Replace	25	3	(20) Fixtures	\$5,500	\$4,840	\$0	\$32.08
1812	Landscaping & Irrigation System - Renovate	20	3	Minimal SF	\$17,500	\$14,875	\$0	\$127.59
2303	Windows - Replace	50	23	(49) Windows	\$122,500	\$66,150	\$0	\$357.25
2304	Exterior Doors - Replace	50	23	(8) Doors	\$28,000	\$15,120	\$0	\$81.66
					\$931,500	\$706,065	\$120,000	\$5,810

Current Fund Balance as a percentage of Ideal Balance: 17%



Yearly Cash Flow

Year	2026	2027	2028	2029	2030
Starting Balance	\$120,000	\$427,703	\$505,343	\$548,106	\$76,918
<i>Reserve Income</i>	\$69,720	\$71,812	\$73,966	\$76,185	\$78,470
<i>Interest Earnings</i>	\$4,983	\$5,828	\$6,581	\$3,904	\$1,460
<i>Special Assessments</i>	\$250,000	\$0	\$0	\$0	\$0
Funds Available	\$444,703	\$505,343	\$585,890	\$628,196	\$156,849
Reserve Expenditures	\$17,000	\$0	\$37,783	\$551,277	\$0
Ending Balance	\$427,703	\$505,343	\$548,106	\$76,918	\$156,849

Year	2031	2032	2033	2034	2035
Starting Balance	\$156,849	\$191,416	\$277,595	\$367,371	\$460,864
<i>Reserve Income</i>	\$80,825	\$83,249	\$85,747	\$88,319	\$90,969
<i>Interest Earnings</i>	\$2,175	\$2,930	\$4,029	\$5,174	\$5,257
<i>Special Assessments</i>	\$0	\$0	\$0	\$0	\$0
Funds Available	\$239,849	\$277,595	\$367,371	\$460,864	\$557,090
Reserve Expenditures	\$48,433	\$0	\$0	\$0	\$176,380
Ending Balance	\$191,416	\$277,595	\$367,371	\$460,864	\$380,710

Year	2036	2037	2038	2039	2040
Starting Balance	\$380,710	\$350,695	\$452,219	\$557,933	\$569,522
<i>Reserve Income</i>	\$93,698	\$96,509	\$99,404	\$102,386	\$105,458
<i>Interest Earnings</i>	\$4,569	\$5,016	\$6,310	\$7,043	\$7,823
<i>Special Assessments</i>	\$0	\$0	\$0	\$0	\$0
Funds Available	\$478,976	\$452,219	\$557,933	\$667,362	\$682,802
Reserve Expenditures	\$128,281	\$0	\$0	\$97,841	\$0
Ending Balance	\$350,695	\$452,219	\$557,933	\$569,522	\$682,802


Year	2041	2042	2043	2044	2045
Starting Balance	\$682,802	\$703,337	\$824,763	\$951,093	\$1,042,418
<i>Reserve Income</i>	\$108,621	\$111,880	\$115,237	\$118,694	\$122,254
<i>Interest Earnings</i>	\$8,659	\$9,546	\$11,093	\$12,453	\$13,874
<i>Special Assessments</i>	\$0	\$0	\$0	\$0	\$0
Funds Available	\$800,083	\$824,763	\$951,093	\$1,082,239	\$1,178,547
Reserve Expenditures	\$96,745	\$0	\$0	\$39,821	\$0
Ending Balance	\$703,337	\$824,763	\$951,093	\$1,042,418	\$1,178,547

Year	2046	2047	2048	2049	2050
Starting Balance	\$1,178,547	\$1,293,041	\$1,439,812	\$1,592,343	\$1,104,314
<i>Reserve Income</i>	\$125,922	\$129,700	\$133,591	\$137,598	\$141,726
<i>Interest Earnings</i>	\$15,439	\$17,071	\$18,941	\$16,845	\$14,774
<i>Special Assessments</i>	\$0	\$0	\$0	\$0	\$0
Funds Available	\$1,319,908	\$1,439,812	\$1,592,343	\$1,746,787	\$1,260,814
Reserve Expenditures	\$26,867	\$0	\$0	\$642,473	\$0
Ending Balance	\$1,293,041	\$1,439,812	\$1,592,343	\$1,104,314	\$1,260,814

Year	2051	2052	2053	2054	2055
Starting Balance	\$1,260,814	\$1,318,807	\$1,486,690	\$1,534,002	\$1,635,965
<i>Reserve Income</i>	\$145,978	\$150,358	\$154,868	\$159,514	\$164,300
<i>Interest Earnings</i>	\$16,114	\$17,525	\$18,869	\$19,802	\$21,600
<i>Special Assessments</i>	\$0	\$0	\$0	\$0	\$0
Funds Available	\$1,422,907	\$1,486,690	\$1,660,427	\$1,713,318	\$1,821,864
Reserve Expenditures	\$104,100	\$0	\$126,425	\$77,354	\$0
Ending Balance	\$1,318,807	\$1,486,690	\$1,534,002	\$1,635,965	\$1,821,864



Yearly Reserve Expenditures - Graph



Projected Reserve Expenditures by Year

Year	ID #	Component Name	Projected Cost	Total Per Annum
2026	223	Carports - Repaint	\$4,500	
	402	Asphalt - Seal Coat	\$12,500	\$17,000
2027		No Expenditures Projected		\$0
2028	105	Roofs - 2003 - Replace	\$37,783	\$37,783
2029	120	Rain Gutters/Downspouts - Replace	\$31,405	
	201	Stucco Surfaces - Repair/Repaint	\$22,432	
	203	Garage Walls/Surfaces - Repair/Repaint	\$11,216	
	204	Doors - Repaint	\$3,926	
	216	Interior Surfaces - Repaint	\$43,182	
	403	Concrete - Partial Repair/Replace	\$2,804	
	502	Garage Door - Replace	\$12,338	
	707	Elevators - Modernize	\$246,757	
	717	Infrared Tube Heaters - Replace	\$10,095	
	790	CO Detection System - Replace	\$5,608	
	803	Mailboxes - Replace	\$10,095	
	803	Mailboxes - Replace	\$5,047	
	901	Fire Protection Systems - Renovate	\$17,946	
	1008	Vinyl Fencing & Railing - Replace	\$47,108	
	1503	Tile Flooring - Replace	\$22,432	
	1601	Interior Light Fixtures - Replace	\$18,507	
	1602	Exterior Light Fixtures - Replace	\$14,581	
	1690	Garage Light Fixtures - Replace	\$6,169	
	1812	Landscaping & Irrigation System - Renovate	\$19,628	\$551,277
2030		No Expenditures Projected		\$0
2031	402	Asphalt - Seal Coat	\$15,135	
	1501	Carpeting - Replace	\$33,297	\$48,433
2032		No Expenditures Projected		\$0
2033		No Expenditures Projected		\$0
2034		No Expenditures Projected		\$0
2035	105	Roofs - 2010 - Replace	\$176,380	\$176,380
2036	401	Asphalt - Major Rehab	\$109,955	
	402	Asphalt - Seal Coat	\$18,326	\$128,281
2037		No Expenditures Projected		\$0
2038		No Expenditures Projected		\$0
2039	204	Doors - Repaint	\$5,755	
	216	Interior Surfaces - Repaint	\$63,309	
	403	Concrete - Partial Repair/Replace	\$4,111	
	790	CO Detection System - Replace	\$8,222	
	1003	Chain Link Fencing - Replace	\$16,444	\$97,841
2040		No Expenditures Projected		\$0
2041	203	Garage Walls/Surfaces - Repair/Repaint	\$17,751	
	223	Carports - Repaint	\$7,988	
	402	Asphalt - Seal Coat	\$22,189	
	1501	Carpeting - Replace	\$48,816	\$96,745

Year	Comp ID	Component Name	Projected Cost	Total Per Annum
2042		No Expenditures Projected		\$0
2043		No Expenditures Projected		\$0
2044	201	Stucco Surfaces - Repair/Repaint	\$39,821	\$39,821
2045		No Expenditures Projected		\$0
2046	402	Asphalt - Seal Coat	\$26,867	\$26,867
2047		No Expenditures Projected		\$0
2048		No Expenditures Projected		\$0
2049	204	Doors - Repaint	\$8,438	
	216	Interior Surfaces - Repaint	\$92,815	
	403	Concrete - Partial Repair/Replace	\$6,027	
	502	Garage Door - Replace	\$26,519	
	790	CO Detection System - Replace	\$12,054	
	803	Mailboxes - Replace	\$21,697	
	901	Fire Protection Systems - Renovate	\$38,572	
	1602	Exterior Light Fixtures - Replace	\$31,340	
	1812	Landscaping & Irrigation System - Renovate	\$42,189	
	2303	Windows - Replace	\$295,321	
	2304	Exterior Doors - Replace	\$67,502	\$642,473
2050		No Expenditures Projected		\$0
2051	402	Asphalt - Seal Coat	\$32,531	
	1501	Carpeting - Replace	\$71,568	\$104,100
2052		No Expenditures Projected		\$0
2053	105	Roofs - 2003 - Replace	\$98,330	
	203	Garage Walls/Surfaces - Repair/Repaint	\$28,094	\$126,425
2054	803	Mailboxes - Replace	\$13,136	
	1601	Interior Light Fixtures - Replace	\$48,164	
	1690	Garage Light Fixtures - Replace	\$16,055	\$77,354
2055		No Expenditures Projected		\$0
2056	223	Carports - Repaint	\$14,180	
	402	Asphalt - Seal Coat	\$39,389	\$53,569

Component Evaluation

Comp #: 105 Roofs - 2003 - Replace



Location: **Building Exteriors**

Quantity: **Approx. 6,140 SF**

Life Expectancy: **25** *Remaining Life:* **2**

Best Cost: **\$33,000**

Estimate to replace

Worst Cost: **\$37,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The roofs appear to be in fair condition. We recommend funding to replace this component approximately every 20 - 25 years. Remaining life based on current age.

General Notes:

Comp #: 105 Roofs - 2010 - Replace



Location: **Building Exteriors**

Quantity: **Approx. 22,100 SF**

Life Expectancy: **25 Remaining Life: 9**

Best Cost: **\$117,000**

Estimate to replace

Worst Cost: **\$133,000**

Higher estimate



Source of Information: CSL Cost Database

Observations:

The roofs appear to be in fair condition. We recommend funding to replace this component approximately every 20 - 25 years. Remaining life based on current age.

General Notes:

Comp #: 120 Rain Gutters/Downspouts - Replace



Location: **Building Exteriors**

Quantity: **Approx. 2,040 LF**

Life Expectancy: **30** *Remaining Life:* **3**

Best Cost: **\$25,000**

Estimate to replace

Worst Cost: **\$31,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The rain gutters and downspouts appear to be in fair condition. We recommend funding to replace this component approximately every 25 - 30 years. Remaining life based on current age.

General Notes:

Comp #: 201 Stucco Surfaces - Repair/Repaint



Location: **Building Exteriors**

Quantity: **Approx. 11,060 SF**

Life Expectancy: **15** *Remaining Life:* **3**

Best Cost: **\$17,000**

Estimate to repair/repaint

Worst Cost: **\$23,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The stucco surfaces appear to be in good to fair condition. We recommend funding to repair/repaint this component approximately every 12 - 15 years. Remaining life based on current age.

General Notes:



Comp #: 203 Garage Walls/Surfaces - Repair/Repaint



Location: **Common Area**

Quantity: **Approx. 5,490 SF**

Life Expectancy: **12** *Remaining Life:* **3**

Best Cost: **\$9,000**

Estimate to repair/repaint

Worst Cost: **\$11,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The painted surfaces are in fair condition. We recommend funding to repair/repaint this component approximately every 10 - 12 years. Remaining life based on current age and condition.

General Notes:

Comp #: 204 Doors - Repaint



Location: **Building Exteriors**

Quantity: **(16) Doors**

Life Expectancy: **10** *Remaining Life:* **3**

Best Cost: **\$3,000**

Estimate to repaint

Worst Cost: **\$4,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The painted door surfaces are in fair condition. We recommend funding to repaint this component approximately every 8 - 10 years. Remaining life based on current age and condition.

General Notes:

Comp #: 212 Metal Railing - Repaint



Location: **Common Area**

Quantity: **Approx. 30 LF**

Life Expectancy: **N/A** *Remaining Life:*

Best Cost: **\$0**

Worst Cost: **\$0**

Source of Information:

Observations:

Due to the minimal cost of repainting this component, reserve funding is not appropriate. Repaint as necessary as an operating expense.

General Notes:

Comp #: 216 Interior Surfaces - Repaint



Location: **Common Area**

Quantity: **Approx. 21,985 SF**

Life Expectancy: **10** *Remaining Life:* **3**

Best Cost: **\$33,000**

Estimate to repaint

Worst Cost: **\$44,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The interior painted surfaces are in fair condition. We recommend funding to repaint this component approximately every 10 years. Remaining life based on current age and condition.

General Notes:

Comp #: 223 Carports - Repaint



Location: **Common Area**

Quantity: **Approx. 3,650 SF**

Life Expectancy: **15** *Remaining Life:* **0**

Best Cost: **\$4,000**

Estimate to repaint

Worst Cost: **\$5,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The paint on the carport structure is in poor condition. We recommend funding to repaint this component approximately every 10 - 15 years. Remaining life based on current condition.

General Notes:

Comp #: 401 Asphalt - Major Rehab



Location: **Community Streets**

Quantity: **Approx. 27,190 SF**

Life Expectancy: **30** *Remaining Life:* **10**

Best Cost: **\$68,000**

Estimate for major rehab

Worst Cost: **\$82,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The asphalt surfaces appear to be in fair condition. We recommend funding for a major rehab of this component approximately every 25 - 30 years. Remaining life based on current age and condition.

General Notes:

Comp #: 402 Asphalt - Seal Coat



Location: **Community Streets**

Quantity: **Approx. 27,190 SF**

Life Expectancy: **5** *Remaining Life:* **0**

Best Cost: **\$11,000**

Estimate for seal coat

Worst Cost: **\$14,000**

Higher estimate



Source of Information: CSL Cost Database

Observations:

The asphalt seal coat is in poor condition. We recommend funding to seal this component approximately every 3 - 5 years. Remaining life based on current condition.

General Notes:

Comp #: 403 Concrete - Partial Repair/Replace



Location: **Common Area**

Quantity: **Minimal SF**

Life Expectancy: **10** *Remaining Life:* **3**

Best Cost: **\$2,000**

Allowance to repair/replace

Worst Cost: **\$3,000**

Higher allowance

Source of Information: CSL Cost Database

Observations:

The concrete appears to be in good to fair condition. This component has an extended useful life under normal conditions. We recommend funding to make repairs and partially replace this component approximately every 10 years. Remaining life based on current age.

General Notes:

Comp #: 502 Garage Door - Replace



Location: **Common Area**

Quantity: **(2) Doors**

Life Expectancy: **20** *Remaining Life:* **3**

Best Cost: **\$10,000**

Estimate to replace

Worst Cost: **\$12,000**

Higher estimate


Source of Information: CSL Cost Database

Observations:

The garage doors are in working condition. We recommend funding to replace this component approximately every 20 years. Remaining life based on current age and condition.

General Notes:

Comp #: 506 Phone Entry Systems - Replace



Location: Common Area

Quantity: (2) Systems

Life Expectancy: N/A **Remaining Life:**

Best Cost: \$0

Worst Cost: \$0

Source of Information:

Observations:

Research with the client reveals this component is not in working condition, and they have no plans to replace this component.

General Notes:

Comp #: 604 Balcony Decks - Resurface



Location: **Building Exteriors**

Quantity: **Approx. 1,720 SF**

Life Expectancy: **N/A** *Remaining Life:*

Best Cost: **\$0**

Worst Cost: **\$0**

Source of Information:

Observations:

Research with the client reveals this component is not a responsibility of the association.

General Notes:

Comp #: 690 Balcony Railing - Replace



Location: **Building Exteriors**

Quantity: **Approx. 440 LF**

Life Expectancy: **N/A** *Remaining Life:*

Best Cost: **\$0**

Worst Cost: **\$0**

Source of Information:

Observations:

Research with the client reveals this component is not a responsibility of the association.

General Notes:

Comp #: 707 Elevators - Modernize



Location: **Common Area**

Quantity: **(2) Elevators**

Life Expectancy: **30** *Remaining Life:* **3**

Best Cost: **\$200,000**

Estimate to modernize

Worst Cost: **\$240,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The elevators are in working condition. We recommend funding to modernize this component approximately every 25 - 30 years. Modernization consists of controller replacement, door package upgrade, and control panel replacement. Remaining life based on current age.

General Notes:

Comp #: 714 Exhaust Fans - Replace



Location: **Common Area**

Quantity: **(2) Fans**

Life Expectancy: **N/A** *Remaining Life:*

Best Cost: **\$0**

Worst Cost: **\$0**

Source of Information:

Observations:

Due to the minimal cost of maintaining and replacing this component, reserve funding is not appropriate. Repair and replace as necessary as an operating expense. No reserve funding necessary.

General Notes:

Comp #: 717 Infrared Tube Heaters - Replace



Location: **Common Area**

Quantity: **(2) Heaters**

Life Expectancy: **30** *Remaining Life:* **3**

Best Cost: **\$8,000**

Estimate to replace

Worst Cost: **\$10,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The heaters are in working condition. We recommend funding to replace approximately every 20 - 30 years. Remaining life based on current age.

General Notes:

Comp #: 790 CO Detection System - Replace



Location: **Common Area**

Quantity: **(1) Systems**

Life Expectancy: **10** *Remaining Life:* **3**

Best Cost: **\$4,000**

Estimate to replace

Worst Cost: **\$6,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The CO detection systems appear to be in working condition. We recommend funding to replace this component approximately every 7 - 10 years. Remaining life based on current age and condition.

General Notes:

Comp #: 801 Community Sign - Replace



Location: **Common Area**

Quantity: **(1) Sign**

Life Expectancy: **N/A** *Remaining Life:*

Best Cost: **\$0**

Worst Cost: **\$0**

Source of Information:

Observations:

Due to the minimal cost of this component, reserve funding is not appropriate. Replace as necessary as an operating expense. No reserve funding necessary.

General Notes:

Comp #: 803 Mailboxes - Replace



Location: **Common Area**

Quantity: **(3) Clusters**

Life Expectancy: **20** *Remaining Life:* **3**

Best Cost: **\$8,000**

Estimate to replace

Worst Cost: **\$10,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The mailboxes are in fair condition. We recommend funding to replace this component approximately every 20 - 25 years. Remaining life based on current age and condition.

General Notes:

Comp #: 803 Mailboxes - Replace



Location: **Common Area**

Quantity: **(4) Clusters**

Life Expectancy: **25** *Remaining Life:* **3**

Best Cost: **\$4,000**

Estimate to replace

Worst Cost: **\$5,000**

Higher estimate


Source of Information: CSL Cost Database

Observations:

The mailboxes are in fair condition. We recommend funding to replace this component approximately every 20 - 25 years. Remaining life based on current age and condition.

General Notes:

Comp #: 901 Fire Protection Systems - Renovate



Location: Common Area

Quantity: (2) Systems

Life Expectancy: 20 Remaining Life: 3

Best Cost: \$14,000

Allowance to renovate

Worst Cost: \$18,000

Higher allowance

Source of Information: CSL Cost Database

Observations:

The fire protection systems are in working condition. We recommend funding for an allowance to renovate this component approximately every 15 - 20 years. Remaining life based on current age and condition.

General Notes:

Comp #: 1003 Chain Link Fencing - Replace



Location: **Community Perimeter**

Quantity: **Approx. 235 LF**

Life Expectancy: **40** *Remaining Life:* **13**

Best Cost: **\$9,000**

Estimate to replace

Worst Cost: **\$11,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The chain link fencing is in fair condition. We recommend funding to replace this component approximately every 40 - 50 years. Remaining life based on current age.

General Notes:

Comp #: 1005 Brick Walls - Replace



Location: **Community Perimeter, & Dumpster**

Quantity: **Approx. 95 LF**

Life Expectancy: **N/A** *Remaining Life:*

Best Cost: **\$0**

Worst Cost: **\$0**

Source of Information:

Observations:

This component should have an extended useful life under normal conditions. Repair as necessary as an operating expense. No reserve funding necessary.

General Notes:



Comp #: 1008 Vinyl Fencing & Railing - Replace



Location: **Common Area**

Quantity: **Approx. 630 LF**

Life Expectancy: **30** *Remaining Life:* **3**

Best Cost: **\$38,000**

Estimate to replace

Worst Cost: **\$46,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The vinyl fencing appears to be in fair condition. We recommend funding to replace this component approximately every 25 - 30 years. Remaining life based on current age.

General Notes:



Comp #: 1090 Metal Railing - Replace



Location: **Common Area**

Quantity: **Approx. 30 LF**

Life Expectancy: **N/A** *Remaining Life:*

Best Cost: **\$0**

Worst Cost: **\$0**

Source of Information:

Observations:

Due to the minimal cost of replacing this component, reserve funding is not appropriate. Replace as necessary as an operating expense.

General Notes:

Comp #: 1312 Pet Waste Stations - Replace



Location: **Common Area**

Quantity: **(2) Stations**

Life Expectancy: **N/A** *Remaining Life:*

Best Cost: **\$0**

Worst Cost: **\$0**


Source of Information:

Observations:

Due to the minimal cost of replacing this component, reserve funding is not appropriate. Replace as necessary as an operating expense.

General Notes:

Comp #: 1501 Carpeting - Replace



Location: **Common Area**

Quantity: **Approx. 4,475 SF**

Life Expectancy: **10** *Remaining Life:* **5**

Best Cost: **\$23,000**

Estimate to replace

Worst Cost: **\$32,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The carpeting is in fair condition. We recommend funding to replace this component approximately every 8 - 10 years. Remaining life based on current condition.

General Notes:

Comp #: 1503 Tile Flooring - Replace



Location: **Common Area**

Quantity: **Approx. 440 SF**

Life Expectancy: **30** *Remaining Life:* **3**

Best Cost: **\$18,000**

Estimate to replace

Worst Cost: **\$22,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The tile flooring appears to be in good to fair condition. We recommend funding to replace this component approximately every 30 years. Remaining life based on current age.

General Notes:

Comp #: 1601 Interior Light Fixtures - Replace



Location: **Common Area**

Quantity: **(93) Fixtures**

Life Expectancy: **25** *Remaining Life:* **3**

Best Cost: **\$14,000**

Estimate to replace

Worst Cost: **\$19,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The interior light fixtures appear to be in fair condition. We recommend funding to replace this component approximately every 20 - 25 years. Remaining life based on current age and condition.

General Notes:

Comp #: 1602 Exterior Light Fixtures - Replace



Location: **Building Exteriors**

Quantity: **(72) Fixtures**

Life Expectancy: **20** *Remaining Life:* **3**

Best Cost: **\$11,000**

Estimate to replace

Worst Cost: **\$15,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The exterior light fixtures are in fair condition. We recommend funding to replace this component approximately every 16 - 20 years. Remaining life based on current age and condition.

General Notes:



Comp #: 1690 Garage Light Fixtures - Replace



Location: **Common Area**

Quantity: **(20) Fixtures**

Life Expectancy: **25** *Remaining Life:* **3**

Best Cost: **\$5,000**

Estimate to replace

Worst Cost: **\$6,000**

Higher estimate


Source of Information: CSL Cost Database

Observations:

The garage light fixtures are in fair condition. We recommend funding to replace this component approximately every 20 years. Remaining life based on current age and condition.

General Notes:

Comp #: 1812 Landscaping & Irrigation System - Renovate



Location: **Common Area**

Quantity: **Minimal SF**

Life Expectancy: **20** *Remaining Life:* **3**

Best Cost: **\$15,000**

Allowance to renovate

Worst Cost: **\$20,000**

Higher allowance

Source of Information: CSL Cost Database

Observations:

The landscaping and irrigation system appear to be in good to fair condition. We recommend funding for an allowance to renovate this component approximately every 20 years. Remaining life based on current age and condition.

General Notes:

Comp #: 2303 Windows - Replace



Location: **Common Area**

Quantity: **(49) Windows**

Life Expectancy: **50** *Remaining Life:* **23**

Best Cost: **\$98,000**

Estimate to replace

Worst Cost: **\$147,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The windows appear to be in fair condition. We recommend funding to replace this component approximately every 40 - 50 years. Remaining life based on current age.

General Notes:

Comp #: 2304 Exterior Doors - Replace



Location: **Common Area**

Quantity: **(8) Doors**

Life Expectancy: **50** *Remaining Life:* **23**

Best Cost: **\$24,000**

Estimate to replace

Worst Cost: **\$32,000**

Higher estimate

Source of Information: CSL Cost Database

Observations:

The doors appear to be in fair condition. We recommend funding to replace this component approximately every 40 - 50 years. Remaining life based on current age.

General Notes:

Glossary of Commonly Used Words And Phrases

(Provided by the National Reserve Study Standards of the Community Associations Institute)

Cash Flow Method – A method of developing a reserve funding plan where contributions to the reserve fund are designed to offset the variable annual expenditures from the reserve fund. Different reserve funding plans are tested against the anticipated schedule of reserve expenses until the desired funding goal is achieved.

Component – Also referred to as an “Asset.” Individual line items in the Reserve Study developed or updated in the physical analysis. These elements form the building blocks for the Reserve Study. Components typically are: 1) Association responsibility, 2) with limited useful life expectancies, 3) have predictable remaining life expectancies, 4) above a minimum threshold cost, and 5) required by local codes.

Component Full Funding – When the actual (or projected) cumulative reserve balance for all components is equal to the fully funded balance.

Component Inventory – The task of selecting and quantifying reserve components. This task can be accomplished through on-site visual observations, review of association design and organizational documents, a review of established association precedents, and discussion with appropriate association representatives.

Deficit – An actual (or projected reserve balance), which is less than the fully funded balance.

Effective Age – The difference between useful life and remaining useful life (UL - RUL).

Financial Analysis – The portion of the Reserve Study where current status of the reserves (measured as cash or percent funded) and a recommended reserve contribution rate (reserve funding plan) are derived, and the projected reserve income and expenses over time is presented. The financial analysis is one of the two parts of the Reserve Study.

Fully Funded Balance – An indicator against which the actual (or projected) reserve balance can be compared. The reserve balance that is in direct proportion to the fraction of life “used up” of the current repair or replacement cost of a reserve component. This number is calculated for each component, and then summed together for an association total.

$$\text{FFB} = \text{Current Cost} * \text{Effective Age} / \text{Useful Life}$$

Fund Status – The status of the reserve fund as compared to an established benchmark, such as percent funded.

Funding Goals – Independent of calculation methodology utilized, the following represent the basic categories of funding plan goals:

- *Baseline Funding*: Establishing a reserve-funding goal of keeping the reserve balance above zero.
- *Component Full Funding*: Setting a reserve funding goal of attaining and maintaining cumulative reserves at or near 100% funded.
- *Threshold Funding*: Establishing a reserve funding goal of keeping the reserve balance above a specified dollar or percent funded amount.

Funding Plan – An association’s plan to provide income to a reserve fund to offset anticipated expenditures from that fund.



Funding Principles –

- Sufficient funds when required
- Stable contributions through the year
- Evenly distributed contributions over the years
- Fiscally responsible

GSF - Gross Square Feet

Life and Valuation Estimates – The task of estimating useful life, remaining useful life, and repair or replacement costs for the reserve components.

LF - Linear Feet

Percent Funded – The ratio, at a particular point in time (typically the beginning of the fiscal year), of the actual (or projected) reserve balance to the ideal fund balance, expressed as a percentage.

Physical Analysis – The portion of the Reserve Study where the component evaluation, condition assessment, and life and valuation estimate tasks are performed. This represents one of the two parts of the Reserve Study.

Remaining Useful Life (RUL) – Also referred to as “remaining life” (RL). The estimated time, in years, that a reserve component can be expected to continue to serve its intended function. Projects anticipated to occur in the current fiscal year have a “0” remaining useful life.

Replacement Cost – The cost of replacing, repairing, or restoring a reserve component to its original functional condition. The current replacement cost would be the cost to replace, repair, or restore the component during that particular year.

Reserve Balance – Actual or projected funds as of a particular point in time (typically the beginning of the fiscal year) that the association has identified for use to defray the future repair or replacement of those major components that the association is obligated to maintain. Also known as “reserves,” “reserve accounts,” or “cash reserves.” In this report the reserve balance is based upon information provided and is not audited.

Reserve Study – A budget-planning tool, which identifies the current status of the reserve fund and a stable and equitable funding plan to offset the anticipated future major common area expenditures. The Reserve Study consists of two parts: The Physical Analysis and the Financial Analysis.

Special Assessment – An assessment levied on the members of an association in addition to regular assessments. Governing documents or local statutes often regulate special assessments.

Surplus – An actual (or projected) reserve balance that is greater than the fully funded balance.

Useful Life (UL) – Also known as “life expectancy.” The estimated time, in years, that a reserve component can be expected to serve its intended function if properly constructed and maintained in its present application of installation.

